

Laboratory pH Electrode Application Guide



Repeatable and trusted pH electrodes for the laboratory

pH is one of the most fundamental parameters that is measured in nearly every application. However, there are different electrode requirements for different applications. Due to these various requirements, YSI has a whole suite of laboratory combination pH electrodes to choose from to ensure you select an electrode that meets the demands of your application.

This electrode application guide provides recommended YSI pH electrodes for a variety of applications. Please consult the YSI Laboratory pH Electrode Selection Guide for additional assistance in selecting a pH electrode and the YSI pH Handbook for practical guidance regarding the measurement of pH.



Electrode Series		IDS			TruLine				Science		
		4110	4120	4130	pH 15 pH 17	pH 25 pH 26	pH 21	pH 27	pHT-Pt	pHT-G	pHT Micro
Application											
Chemistry	Acid, extreme			●	●				●	●	●
	Emulsions, water-based			●	●				●	●	●
	Non-aqueous liquids			●	●				●	●	●
	Oil/water-emulsions			●	●				●	●	●
	Organic liquids								●	●	●
	Sulfide containing liquids								●	●	●
Industrial	Boiler feedwater			●	●				●	●	●
	Cooling water			●	●				●	●	●
	Cutting oil emulsions			●	●				●	●	●
	Dyeing solutions			●	●				●	●	●
	Electroplating baths			●	●				●	●	●
	Electroplating wastewater	●		●	●	●			●	●	●
	Paper extract			●	●				●	●	●
	Viscose									●	
Water	Aquarium water	●	●	●	●	●			●	●	●
	Condensate			●	●				●	●	●
	Deionized water (DI water)			●	●				●	●	●
	Drinking water	●	●	●	●	●			●	●	●
	Salt solutions			●	●						
	Suspensions								●	●	●
	Swimming pool	●	●	●	●	●					
	Wastewater, general	●	●	●	●	●			●	●	●
Field Measurements	Groundwater	●	●	●	●	●			●	●	●
	Lake water	●	●	●	●	●			●	●	●
	Rain water	●	●	●	●	●			●	●	●
	Seawater	●	●	●	●	●			●	●	●
	Soil extract			●	●						
	Stream	●	●	●	●	●			●	●	●
Cosmetics	Creme			●	●			●	●	●	●
	Hair dye			●	●				●	●	●
	Hair gel							●	●		
	Hair mousse			●	●				●	●	●
	Lotions			●	●				●	●	●
	Make-up			●	●				●	●	●
	Mouth wash			●	●				●	●	●
	Shampoo										
	Shaving cream			●	●				●	●	●
	Sun lotion			●	●				●	●	●
	Tooth paste			●	●			●	●	●	●

Electrode Series		IDS			TruLine				Science		
		4110	4120	4130	pH 15 pH 17	pH 25 pH 26	pH 21	pH 27	pHT-Pt	pHT-G	pHT Micro
Application											
Paints/Art	Etching and degreasing baths			●	●				●	●	●
	Fixing baths (photography)			●	●				●	●	●
	Ink								●	●	●
	Paint/varnish, water-soluble			●	●				●	●	●
	Photographic developer			●	●						
	Varnish, water-based			●	●				●	●	●
Solids/ Surfaces	Leather (surface)							●			
	Paper							●			
	Skin (surface)							●			
	Solids (penetration)						●				
	Solids (surface)							●			
	Textiles							●			
Washing Agents	Cleaning agent (e.g. ammonia, etc.)			●	●				●	●	●
	Detergents			●	●				●	●	●
	Dishwashing liquid			●	●				●	●	●
	Disinfectant (e.g. bleach, etc.)			●	●				●	●	●
	Soap solution			●	●				●	●	●
	Surfactant solution			●	●				●	●	●
Drinks Production	Beer	●	●	●	●	●			●	●	●
	Fruit juice			●	●				●	●	●
	Lemonades/soda	●	●	●	●	●			●	●	●
	Mineral water	●	●	●	●	●			●	●	●
	Spirits			●	●				●	●	●
	Vegetable juice			●	●				●	●	●
	Wine			●	●				●	●	●
Food	Bread/dough/pastry						●				
	Coffee extract			●	●				●	●	●
	Extracts			●	●						
	Fish						●				
	Grease								●	●	●
	Honey						●				
	Jam/marmelade			●	●				●	●	●
	Margarine			●	●				●	●	●
	Mayonnaise								●	●	●
	Meat						●				
	Sausage						●	●			
	Vinegar								●	●	●

Electrode Series		IDS			TruLine				Science		
		4110	4120	4130	pH 15 pH 17	pH 25 pH 26	pH 21	pH 27	pHT-Pt	pHT-G	pHT-Micro
Application											
Dairy	Butter						●		●	●	●
	Cheese						●	●	●	●	●
	Cream			●	●				●	●	●
	Milk			●	●				●	●	●
	Yogurt			●	●				●	●	●
Agriculture	Fertilizer solution	●		●	●	●			●	●	●
	Fruit						●				
	Liquid manure			●	●				●	●	
	Vegetables						●	●			
Pharmacy, Biology, Biotechnology, Medicine, Microbiology	Agar-agar gel						●	●			
	Bacteria cultures			●	●				●	●	●
	Enzyme solution			●	●						
	Gastric juice			●	●				●	●	
	Infusion solutions			●	●				●	●	
	Precision measurement								●	●	
	Protein containing liquid								●	●	●
	Saliva							●			●
	Serum								●	●	●
	Small vessels/sample										●
	Tris Buffer										
	Urine			●	●				●	●	
	Vials										●

	Electrode	Item Number	Shaft Material	Length	Diameter	Minimum Immersion Depth*
IDS	4110	103740Y	Plastic (PPE/PS)	120 mm	12 mm	12-13 mm
	4110-3	103741Y	Plastic (PPE/PS)	120 mm	12 mm	12-13 mm
	4120	103750Y	Plastic (Polyamide)	120 mm	12 mm	12-13 mm
	4130	103780Y	Glass	120 mm	12 mm	16-18 mm
TruLine	pH 15	400350	Glass	120 mm	12 mm	16-18 mm
	pH 17	400351	Glass	120 mm	12 mm	16-18 mm
	pH 25	400353	Plastic (PPE/PS)	120 mm	12 mm	12-13 mm
	pH 26	400352	Plastic (PPE/PS)	120 mm	12 mm	12-13 mm
	pH 21	400357	Plastic (PPE/PS)	top: 65 mm; bottom: 25 mm	top: 15 mm; bottom: 5 mm	11-12 mm
	pH 27	400354	Glass	120 mm	12 mm	N/A (flat membrane)
Science	pHT-Pt	400360	Glass	170 mm	12 mm	17-19 mm
	pHT-G	400361	Glass	170 mm	12 mm	12-14 mm
	pHT-Micro	400362	Glass	top: 70 mm; bottom: 130 mm	top: 12 mm; bottom: 5 mm	10-11 mm

* Minimum immersion depth is the distance from the tip of the membrane to the outer junction. The junction must always be completely immersed when taking a measurement.

YSI MultiLab

IDS (Intelligent Digital Sensor) pH electrodes feature a digital connector and are designed for use with the YSI MultiLab, a multiparameter digital instrument.



YSI TruLab

The TruLine and Science pH electrodes feature BNC connection and are compatible with any pH meter that has a BNC input, such as YSI TruLab meters. A BNC adapter (108132Y) also allows these electrodes to be connected to the MultiLab 4010-2W and 4010-3W.



	Instrument Model	Item Number	Description
MultiLab	4010-1W	1FD350Y	One channel multiparameter digital instrument with memory and USB connectivity
	4010P-1W	1FD350PY	One channel multiparameter digital instrument with memory, USB connectivity, and integrated printer
	4010-2W	1FD560Y	Two channel multiparameter digital instrument with memory and USB connectivity
	4010-3W	1FD570Y	Three channel multiparameter digital instrument with memory and USB connectivity
TruLab	1110	1AA120Y	One channel pH/mV instrument
	1310	1AA320Y	One channel pH/mV instrument with memory and USB connectivity
	1310P	1AA320PY	One channel pH/mV instrument with memory, USB connectivity, and integrated printer
	1320	1GA340Y	Two channel pH/mV/ISE instrument with memory and USB connectivity
	1320P	1GA340PY	Two channel pH/mV/ISE instrument with memory, USB connectivity, and integrated printer

For more information on our diverse selection of pH probes, please visit our YSI Probe Selection Guide!

YSI, a Xylem brand
1725 Brannum Lane
Yellow Springs, OH 45387

+1.937.767.7241
info@xylem.com
YSI.com



ysi.com